
FRS PROFILES	PAGE NO	TABLE OF CONTENTS
01 INTRODUCTION	3 - 4	The Essence of FRS Profiles Our Roadmap to Success Our Aspiration & Purpose
	5	Color Chart
02 PROFILES FOR WALLS & FLOORS	6 - 26	Extruded Aluminium Stainless Steel PVC
03 CHANNEL & GROOVING PROFILES	27 - 28	Extruded Aluminium Stainless Steel
04 SKIRTING PROFILES	29 - 30	Extruded Aluminium Stainless Steel PVC
05 LANDSCAPE PROFILES	31 - 32	Extruded Aluminium Stainless Steel PVC
06 TILE MOVEMENT JOINT	33	Extruded Aluminium Stainless Steel PVC
07 STAIR NOSING	34 - 35	Extruded Aluminium Stainless Steel
08 EXPANSION JOINT COVERS	36	
09 TACTILES	37	
10 SHOWER DRAIN SYSTEM	38	
11 WALL PROTECTION	39	
12 ENTRANCE MATT	40	



THE ESSENCE OF **FRS PROFILES**

FRS Profiles is a proud member of **FRS Industrial Group,** one of the most recognized names in building materials & solutions across the UAE, KSA, & GCC region.

We offer an extensive portfolio, including tile trims, movement joints, landscaping edges, entrance mats, stair nosing, skirting boards, expansion joints, block & plaster accessories, PVC protection system, shower drain profiles, tactiles, & more crafted to meet the demands of contracting & interior fit-out companies.

With 15 years of proven expertise, our management & engineering team, renowned for their industry knowledge, offers not only superior products but also end-to-end technical support tailored to every client's needs.

Every FRS Profiles product is manufactured from premium materials that meet Global quality benchmarks, built to last, performance & excellence in every detail.

Our **Roadmap to Success**

FRS Profiles focuses on delivering distinguished quality in customer satisfaction, building strong supplier & partner relationships, retaining skilled employees, & contributing positively to the environment & society.

Through continuous innovation, we provide reliable tile trim & profile solutions across the UAE & KSA.

- Uncompromising Quality Standards
- Bespoke Service Excellence
- Enduring Customer Loyalty
- Strategic Collaborations



Our **Aspiration & Purpose**

Enhancing Spaces
We strive to elevate the functionality & aesthetics of spaces by delivering high-quality tile trim & profiles that seamlessly integrate into every design.

Fostering Creativity
We empower architects, designers, & builders to bring their creative visions to life by offering a diverse range of innovative and customizable profiles.

Customer-centric Service
Our customers' needs & satisfaction are paramount, & we are dedicated to providing exceptional service & support at every step.

Quality Assurance
We pledge to provide products that meet the highest standards of quality & durability,ensuring our customers' complete satisfaction.

Sustainability Commitment
We prioritize sustainable practices in our manufacturing processes & materials, contributing to a more environmentally responsible future.

Industry Leadership
We aspire to lead the tile trim & profile industry in the UAE, KSA & GCC regions through continuous innovation and unwavering dedication to excellence.

COLOR CHART

STAINLESS STEEL


BA


BL-D=Mirror Black PVD



CBR=Champagne Bronze


BRG=Brushed Rose Gold


MR=Mirror Finish


BL=Mirror Black Plated


EM=Embossed


ANTC=Antique Copper


BR=Brushed


BBL=Brushed Black Plated


EMG=Embossed Grey


SMG=Sand Matt Gold


G=Mirror Gold


BBL-L=Brushed Black Plated Light


BUM=Brushed Gun Metal


SMBL=Sand Matt Black


BG=Brushed Gold


ANTB-L=Antique Brass Light


ANTB-D=Antique Brass Deep


RG=Mirror Rose Gold

ALUMINUM ALLOY CHARTS


NA=Natural


BBS-L=Brushed Bright Silver


MCP=Matt Champagne


MBR=Matt Bronze


MS=Matt Silver


BBS-D=Deep Brushed Bright Silver


SBL=Sand Black Coated


MBR-D=Dark Matt Bronze


MBL=Matt Black


BNK=Brushed Nickel

BW=Bright White Coated


BRG=Brushed Rose Gold


BS=Bright Silver


RG=Bright Rose Gold


SC=Sand Camel Coated


MG=Matt Gold


BBL=Bright Black


BG=Bright Gold


SA=Sand Antracita Coated


SW=Sand White Coated

BRASS CHARTS

NA=Natural

PO=Polished+Anti-Oxidised

BAO=Brushed+Anti-Oxidised

MBL=Matt Black

NAO=Natural+Anti-Oxidised

ANTB-L=Antique Brass Light

LHO=Long Hair+Anti Oxidised

ANTC-L=Antique Copper Light

P=Polished

ANTB-D=Antique Brass Deep

CHR=Chrome Plated

ANTC-D=Antique Copper Deep


PROFILES FOR WALLS & FLOORS

STAINLESS STEEL SQUARE PROFILE FOR WALLS

Ideal for internal & external wall applications, serving as a connection profile between ceramic or natural stone tiles.
Available in Stainless Steel 304/316, with mirror or brushed (satin) finishes in multiple sizes.








Grade	Code	Height (mm)	Length (m)
SS 304 SOUARE MIRROR FINISH	FR-SS4-S/M 08	8	2.7
	FR-SS4-S/M 10	10	2.7
	FR-SS4-S/M 125	12.5	2.7
SS 316 SQUARE MIRROR FINISH	FR-SS6-S/M 08	8	2.7
	FR-SS6-S/M 10	10	2.7
	FR-SS6-S/M 125	12.5	2.7
SS 304 SQUARE BRUSHED FINISH	FR-SS4-S/B 08	8	2.7
	FR-SS4-S/B 10	10	2.7
	FR-SS4-S/B 125	12.5	2.7
SS 316 SOUARE BRUSHED FINISH	FR-SS6-S/B 08	8	2.7
	FR-SS6-S/B 10	10	2.7
	FR-SS6-S/B 125	12.5	2.7


PROFILES FOR WALLS & FLOORS

ALUMINIUM SQUARE PROFILE FOR WALLS

Designed for internal & external wall applications, this profile connects ceramic or natural stone tiles while protecting edges from breakage.
Available in a variety of anodized finishes, powder coatings, & multiple sizes.







Grade	Code	Height (mm)	Length (m)
ALUMINUM SQUARE SHAPE	FR-AL-AA/SQ 08	8	2.7
	FR-AL-AA/SQ 10	10	2.7
	FR-AL-AA/SQ 125	12.5	2.7

Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed

PROFILES FOR WALLS & FLOORS

PVC SQUARE PROFILE FOR WALLS

Square shape tile trim is designed for external wall corners, providing a neat & durable edge finish. Made from non-toxic PVC.
Available in a variety of colors to match tile or marble surfaces seamlessly.







Grade	Code	Height (mm)	Length (m)
PVC SQUARE SHAPE	FR-PVC/SQ 08	8	2.7
	FR-PVC/SQ 10	10	2.7
	FR-PVC/SQ 125	12.5	2.7


Colors

White | Beige-902 | Brown | Ivory | Bahama Beige | Light Grey | Dark Grey | Black

PROFILES FOR WALLS & FLOORS

STAINLESS STEEL (L) SHAPE PROFILE FOR WALLS & FLOORS

Protects tile edges while enhancing wall aesthetics.
Available in high-quality Stainless Steel 304/316 with Mirror or Brushed (Satin) finishes, they come in multiple sizes to suit diverse project needs.







Grade	Code	Height (mm)	Length (m)
SS 304 L SHAPE MIRROR FINISH	FR-SS4-L/M 08	8	2.7
	FR-SS4-L/M 10	10	2.7
	FR-SS4-L/M 125	12.5	2.7
	FR-SS4-L/M 15	15	2.7
	FR-SS4-L/M 20	20	2.7
SS 316 L SHAPE MIRROR FINISH	FR-SS6-L/M 08	8	2.7
	FR-SS6-L/M 10	10	2.7
	FR-SS6-L/M 125	12.5	2.7
	FR-SS6-L/M 15	15	2.7
	FR-SS6-L/M 20	20	2.7
SS 304 L SHAPE BRUSHED FINISH	FR-SS4-L/B 08	8	2.7
	FR-SS4-L/B 10	10	2.7
	FR-SS4-L/B 125	12.5	2.7
	FR-SS4-L/B 15	15	2.7
	FR-SS4-L/B 20	20	2.7
SS 316 L SHAPE BRUSHED FINISH	FR-SS6-L/B 08	8	2.7
	FR-SS6-L/B 10	10	2.7
	FR-SS6-L/B 12.5	12.5	2.7
	FR-SS6-L/B 15	15	2.7
	FR-SS6-L/B 20	20	2.7

PROFILES FOR WALLS & FLOORS

ALUMINUM (L) SHAPE PROFILE FOR WALLS & FLOORS

Ideal for external wall & floor corners or as a separator at tile termination points, L-shape profiles protect tile edges from damage.
Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.







Grade	Code	Height (mm)	Length (m)
ANODIZED SILVER FINISH L SHAPE	FR-AL-AA/L 08	8	2.7
	FR-AL-AA/L 10	10	2.7
	FR-AL-AA/L 125	12.5	2.7

Colors


(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed


PROFILES FOR WALLS & FLOORS

PVC (L) SHAPE TILE TRIM

Perfect for internal areas & as a separator between different levels, L-shape PVC trims offer both protection & style. Made from non-toxic PVC.
Available in a variety of colors to seamlessly match tile or marble finishes







Grade	Code	Height (mm)	Length (m)
PVC (L) SHAPE	FR-PVC/L 08	8	2.7
	FR-PVC/L 10	10	2.7
	FR-PVC/L 125	12.5	2.7

Colors

White | Beige-902 | Brown | Ivory | Bahama Beige | Light Grey | Dark Grey | Black

PROFILES FOR WALLS & FLOORS

STAINLESS STEEL EDGE PROFILE

Made for floors, protects tile edges, acts as a separator between tiles, stone, or wood.

Available in Stainless Steel 304/316 with Mirror or Brushed finishes.








Grade	Code	Height (mm)	Length (m)
SS 304 EDGE MIRROR FINISH	FR-SS4-SE/M 8	8	2.7
	FR-SS4-SE/M 10	10	2.7
	FR-SS4-SE/M 125	12.5	2.7
	FR-SS4-SE/M 15	15	2.7
SS 316 EDGE MIRROR FINISH	FR-SS6-SE/M 8	8	2.7
	FR-SS6-SE/M 10	10	2.7
	FR-SS6-SE/M 125	12.5	2.7
	FR-SS6-SE/M 15	15	2.7
SS 304 EDGE BRUSHED FINISH	FR-SS4-SE/B 8	8	2.7
	FR-SS4-SE/B 10	10	2.7
	FR-SS4-SE/B 125	12.5	2.7
	FR-SS4-SE/B 15	15	2.7
SS 316 EDGE BRUSHED FINISH	FR-SS6-SE/B 8	8	2.7
	FR-SS6-SE/B 10	10	2.7
	FR-SS6-SE/B 125	12.5	2.7
	FR-SS6-SE/B 15	15	2.7

PROFILES FOR WALLS & FLOORS

STAINLESS STEEL ROUND PROFILE FOR WALLS

Round shape profiles are crafted for external wall corners, offering smooth & safe edges that enhance both durability & aesthetics.
They can be applied in internal or external areas, protecting tiles while adding a refined finish.
Available in Stainless Steel 304/316 with Mirror or Brushed (Satin) finishes in multiple sizes.








Grade	Code	Height (mm)	Length (m)
SS 304 ROUND MIRROR FINISH	FR-SS4-R/M 08	8	2.7
	FR-SS4-R/M 10	10	2.7
	FR-SS4-R/M 125	12.5	2.7
SS 316 ROUND MIRROR FINISH	FR-SS6-R/M 08	8	2.7
	FR-SS6-R/M 10	10	2.7
	FR-SS6-R/M 125	12.5	2.7
SS 304 ROUND BRUSHED FINISH	FR-SS4-R/B 08	8	2.7
	FR-SS4-R/B 10	10	2.7
	FR-SS4-R/B 125	12.5	2.7
SS 316 ROUND BRUSHED FINISH	FR-SS6-R/B 08	8	2.7
	FR-SS6-R/B 10	10	2.7
	FR-SS6-R/B 125	12.5	2.7

PROFILES FOR WALLS & FLOORS

ALUMINIUM ROUND PROFILE FOR WALLS

Round shape profiles are crafted for external corners, providing smooth & safe edges. Suitable for internal & external areas.
Available in multiple sizes with Anodized Finishes & Powder Coatings.




Grade	Code	Height (mm)	Length (m)
ALUMINIUM ROUND SHAPE	FR-AL-AA/R 08	8	2.7
	FR-AL-AA/R 10	10	2.7
	FR-AL-AA/R 125	12.5	2.7

Colors


(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed

PROFILES FOR WALLS & FLOORS

PVC ROUND SHAPE TILE TIRM

Round shape tile trims are ideal for external wall corners, providing smooth & safe edges. Made from non-toxic PVC.
Available in a variety of colors to seamlessly match tiles or marble finishes.-











Grade	Code	Height (mm)	Length (m)
PVC ROUND SHAPE TILE TRIM	FR-PVC-R 08	8	2.7
	FR-PVC-R 10	10	2.7
	FR-PVC-R 125	12.5	2.7


Colors


White | Beige-902 | Brown | Ivory | Bahama Beige | Light Grey | Dark Grey | Black

PROFILES FOR WALLS & FLOORS

STAINLESS STEEL QUART SHAPE PROFILE FOR WALLS

Quart shape profiles are crafted for external wall corners, providing smooth & safe edges while enhancing durability & style.
Suitable for both internal & external areas, they protect tile edges & create a refined finish.
Available in Stainless Steel 304/316 with Mirror or Brushed (Satin) finishes in multiple sizes.








Grade	Code	Height (mm)	Length (m)
SS 304 QUART MIRROR FINISH	FR-SS4-QT/M 08	8	2.7
	FR-SS4-QT/M 10	10	2.7
	FR-SS4-QT/M 125	12.5	2.7
SS 316 QUART MIRROR FINISH	FR-SS6-QT/M 08	8	2.7
	FR-SS6-QT/M 10	10	2.7
	FR-SS6-QT/M 125	12.5	2.7
SS 304 OUART BRUSHED FINISH	FR-SS4-QT/B 08	8	2.7
	FR-SS4-QT/B 10	10	2.7
	FR-SS4-QT/B 125	12.5	2.7
SS 316 QUART BRUSHED FINISH	FR-SS6-QT/B 08	8	2.7
	FR-SS6-QT/B 10	10	2.7
	FR-SS6-QT/B 125	12.5	2.7

PROFILES FOR WALLS & FLOORS

ALUMINIUM QUART PROFILE FOR WALLS

Quart shape profiles are crafted for external wall corners, providing smooth & safe edges. Suitable for internal & external areas.
Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.




Grade	Code	Height (mm)	Length (m)
ALUMINIUM QUART PROFILE	FR-AL-AA/QT 08	8	2.7
	FR-AL-AA/QT 10	10	2.7
	FR-AL-AA/QT 125	12.5	2.7

Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed

PROFILES FOR WALLS & FLOORS

PVC QUART SHAPE TILE TIRM

Quart shape PVC trims are ideal for internal wall areas, providing smooth & safe edges. Made from non-toxic PVC.
Available in a variety of colors to seamlessly match tiles or marble finishes.







Grade	Code	Height (mm)	Length (m)
PVC QUART SHAPE TILE TIRM	FR-PVC-QT 08	8	2.7
	FR-PVC-QT 10	10	2.7
	FR-PVC-QT 125	12.5	2.7

Colors

White | Beige-902 | Brown | Ivory | Bahama Beige | Light Grey | Dark Grey | Black

PROFILES FOR WALLS & FLOORS

DUAL EDGE PROFILE FOR WALLS

Dual Edge Profiles are crafted for walls, providing balanced protection for both edges.
Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.







Grade	Code	Height (mm)	Length (m)
ANODIZED ALUMINIUM DUAL SHAPE PROFILE	FR-AL-AA/D 08	8	2.7
	FR-AL-AA/D 10	10	2.7
	FR-AL-AA/D 125	12.5	2.7


Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed


PROFILES FOR WALLS & FLOORS

DIVIDING STRIP & FLAT BAR

Dividing strips are thin profiles used to separate surfaces, control movement, & ensure proper alignment between materials such as tiles, concrete, or stone. They can be installed in both floors and walls to allow expansion, prevent cracks, & enhance visual appeal.
Available in Brass, Stainless Steel 304/316, & Aluminium with Anodized finishes in multiple sizes.







Available Height						
5MM	10MM	20MM	25MM	40MM	50MM	100MM
Available Thickness						
	3MM	5MM	8MM	10MM	20MM	
Available Grades						
	STAINLESS STEEL		BRASS		ALUMINUM	

PROFILES FOR WALLS & FLOORS

(Y) SHAPE PROFILE FOR WALLS

Y-Shape Profiles are crafted to protect external wall edges, providing a smooth & decorative finish. Suitable for ceramic & mosaic tiles, even at low thicknesses Available in multiple sizes with Anodized Finishes and Powder Coatings.








Grade	Code	Height (mm)	Length (m)
ANODIZED ALUMINIUM (Y) SHAPE PROFILE	FR-AL-AA/Y 08	8	2.7
	FR-AL-AA/Y 10	10	2.7
	FR-AL-AA/Y 125	12.5	2.7

Ceramic Finish




Colors




PROFILES FOR WALLS & FLOORS

(T) SHAPE PROFILE FOR FLOOR

Ideal for aligning floor levels. They cover minor gaps between floors & protect external corners while ensuring a neat, durable finish.
T-Shape Profiles, available in Stainless Steel 304/316 & Aluminium with Anodized or Powder Coating finishes








Grade	Code	Width (mm)	Length (m)
ALUMINIUM (T) SHAPE PROFILE	FR-AL-AA/T 1010	10	2.7
	FR-AL-AA/T 2010	20	2.7
	FR-AL-AA/T 2510	25	2.7
	FR-AL-AA/T 3010	30	2.7

PROFILES FOR WALLS & FLOORS

THRESHOLD PROFILE

Also known as a Transition Profile, specially designed to bridge gaps between different floor surfaces of varying heights or materials.
Available in Brass, Stainless Steel 304/316, & Aluminium with Anodized or Powder Coatings.




Grade	Code	Width (mm)	Length (m)
ALUMINIUM THRESHOLD PROFILE	FR-AL-TH/P 35	35	2.7
	FR-AL-TH/P 50	50	2.7
	FR-AL-TH/P 75	75	2.7

Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed


PROFILES FOR WALLS & FLOORS

ANGLE CORNER PROFILE FOR WALLS

A wide range of profiles engineered to prevent chipping & edge imperfections commonly caused by wall corner installations.
These profiles come in multiple sizes, delivering reliable solutions for residential, commercial, & industrial spaces.
Available in Stainless Steel 304/316 & Aluminium with Anodized or Powder Coatings.







Available Grades			
STAINLESS STEEL 316S	STAINLESS STEE 304		ALUMINUM
Grade	**Code**	**Width (mm)**	**Length (m)**
CORNER ANGLE PROFILE CORNERS	FR-CAP-1010	10 X 10	2.7
	FR-CAP-2020	20 X 20	2.7
	FR-CAP-3030	30 X 30	2.7
	FR-CAP-4040	40 X 40	2.7
	FR-CAP-5050	50 X 50	2.7


Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed


PROFILES FOR WALLS & FLOORS

TRIANLGE PROFILE FOR WALLS

Triangle shape profiles are designed for external wall corners, providing smooth & safe edges. Suitable for both internal & external applications.
Available in Aluminium & Stainless Steel 304/316 for durability & a refined finish.








Grade	Code	Height (mm)	Length (m)
SS 304 TRIANGLE PROFILE MIRROR FINISH	FR-SS4-TR/M 10	10	2.7
	FR-SS4-TR/M 125	12.5	2.7
SS 304 TRIANGLE PROFILE BRUSHED FINISH	FR-SS4-TR/B 10	10	2.7
	FR-SS4-TR/B 125	12.5	2.7
SS 316 TRIANGLE PROFILE MIRROR FINISH	FR-SS6-TR/M 10	10	2.7
	FR-SS6-TR/M 125	12.5	2.7
SS 316 TRIANGLE PROFILE BRUSHED FINISH	FR-SS6-TR/B 10	10	2.7
	FR-SS6-TR/B 125	12.5	2.7

PROFILES FOR WALLS & FLOORS

ALUMINIUM CARPET PROFILE

Carpet profiles are used as finishing trims at carpet edges, ensuring a neat transition & compensating for floor height differences caused by varying profiles. Available in Aluminium, they provide both durability & a clean finish.













Grade	Code	Width (mm)	Length (m)
PVC LANDSCAPE PROFILE	FR-AL-AA-CP 08	8	2.7
	FR-AL-AA-CP 10	10	2.7
	FR-AL-AA-CP 125	12.5	2.7

CHANNEL & GROOVING PROFILES

CHANNEL/GROOVE PROFILES FOR WALLS

They can be custom fabricated in any size & are suitable for external elevations or decorative applications.
Available in Stainless Steel 304/316 (Mirror & Brushed), Aluminium Anodized finishes, & Natural Aluminium with Powder Coating to match ceramic, marble, or wall finishes.


Available Sizes		
DP-GAP-1010	DP-GAP-2020	DP-GAP-4020
DP-GAP-2010	DP-GAP-2525 DP-GAP-2015	DP-GAP-5025
Available Grades		
STAINLESS STEEL	ALUMINUM	


CHANNEL & GROOVING PROFILES


(F) SHAPE PROFILE FOR WALLS


F-Shape Profiles are crafted for walls, ideal as skirting or decorative accents for ceramic tile coverings.
Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.











Grade	Code	Height (mm)	Length (m)
ANODIZED ALUMINIUM (F) SHAPE PROFILE	FR-AL-AA/F 08	8	2.7
	FR-AL-AA/F 10	10	2.7
	FR-AL-AA/F 125	12.5	2.7

Colors


(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed

SKIRTING BOARDS

ALUMINIUM SKIRTING BOARDS

Skirting boards shield walls from knocks & scuffs at the base, preventing plaster from cracking or breaking.
Available in multiple sizes with Aluminium Anodized finishes & Powder Coating, they provide both protection & a clean decorative look.




Grade	Code	Height (mm)	Length (m)
ALUMINIUM SKIRTING	FR-AL-AA-SB 40	40	2.5
	FR-AL-AA-SB 60	60	2.5
	FR-AL-AA-SB 80	80	2.5
	FR-AL-AA-SB 100	100	2.5

Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed

SKIRTING BOARDS

STAINLESS STEEL SKIRTING BOARDS

Skirting boards protect walls from knocks, scuffs, & base-level damage, acting as a barrier to prevent plaster from cracking or breaking.
Available in Stainless Steel 304/316 with Mirror & Brushed (Satin) finishes in multiple sizes, they combine durability with a sleek finish.








Grade	Code	Height (mm)	Length (m)
SS 304 SKIRTING MIRROR FINISH	FR-SS4-SK/M 40	40	2.5
	FR-SS4-SK/M 60	60	2.5
	FR-SS4-SK/M 80	80	2.5
	FR-SS4-SK/M 100	100	2.5
SS 316 SKIRTING MIRROR FINISH	FR-SS6-SK/M 40	40	2.5
	FR-SS6-SK/M 60	60	2.5
	FR-SS6-SK/M 80	80	2.5
	FR-SS6-SK/M 100	100	2.5
SS 304 SKIRTING BRUSHED FINISH	FR-SS4-SK/B 40	40	2.5
	FR-SS4-SK/B 60	60	2.5
	FR-SS4-SK/B 80	80	2.5
	FR-SS4-SK/B 100	100	2.5
SS 316 SKIRTING BRUSHED FINISH	FR-SS6-SK/B 40	40	2.5
	FR-SS6-SK/B 60	60	2.5
	FR-SS6-SK/B 80	80	2.5
	FR-SS6-SK/B 100	100	2.5

Available Grades	Available Heights			
STAINLESS STEEL - ALUMINUM	40MM	60MM	80MM	100MM

LANDSCAPE EDGING

ALUMINIUM LANDSCAPE EDGING

Aluminium landscaping edges help shape gardens with clean, crisp lines between lawns, beds, & adjoining areas.
They define borders clearly.
Available in multiple sizes for versatile applications.











Grade	Code	Height (mm)	Length (m)
ALUMINIUM LANDSCAPE PROFILE	FR-AL-LSE 60	60	3
	FR-AL-LSE 80	80	3
	FR-AL-LSE 100	100	3
	FR-AL-LSE 150	150	3

LANDSCAPE EDGING

PVC LANDSCAPE EDGING


PVC landscaping edges shape gardens with clean, crisp lines between beds, lawns, and adjoining areas.
They clearly define borders & are available in multiple sizes for versatile use.











Grade	Code	Height (mm)	Length (m)
PVC LANDSCAPE PROFILE	FR-PVC-LSE 60	60	3
	FR-PVC-LSE 80	80	3
	FR-PVC-LSE 100	100	3
	FR-PVC-LSE 150	150	3

TILE MOVEMENT JOINT

TILE MOVEMENT JOINT

Movement joints are intentional gaps within tiled or stone surfaces that absorb expansion and contraction in floors.
Essential for any tiling project, they prevent cracking, grout damage, and tile de-bonding, ensuring long-term durability.







Grade	Code	Type	Length (m)
SS304 MOVEMENT JOINT PROFILE	FR-SS4-ST-MJ	STRAIGHT	2.4
	FR-SS4-1L-MJ	CORNER	2.4
	FR-SS4-2L-MJ	DOUBLE SIDE	2.4
SS316 MOVEMENT JOINT PROFILE	FR-SS6-ST-MJ	STRAIGHT	2.4
	FR-SS6-1L-MJ	CORNER	2.4
	FR-SS6-2L-MJ	DOUBLE SIDE	2.4
ALUMINIUM MOVEMENT JOINT PROFILE	FR-AL-ST-MJ	STRAIGHT	2.4
	FR-AL-1L-MJ	CORNER	2.4
	FR-AL-2L-MJ	DOUBLE SIDE	2.4

Available Heights							
10MM	12.5MM	15MM	20MM	25MM	30MM	40MM	50MM

Colors


Alabaster | Sand Stone | Linen | Milky White | Pweter | Light Smoke | Light beige | Earth | Light Grey | Black


STAIR NOSING

STAIR NOSING PROFILE (CARBORANDUM/ RUBBER)

Specialty Anti-Slip Stair Nosing profiles enhance safety & extend the life of stairs by increasing surface grip. They reduce the risk of slipping or missing a step. Available in multiple sizes with Aluminium Anodized finishes.









Grade	Code	Width (mm)	Length (m)
STAIROSING PROFILE WITH RUBBER INSERT	FR-AL-STR-4525	45	2.7
	FR-AL-STR-5030	50	2.7
	FR-AL-STR-7530	75	2.7
STAIROSING PROFILE WITH CARBORANDUM INSERT	FR-AL-STC-4525	45	2.7
	FR-AL-STC-5025	50	2.7
	FR-AL-STC-7525	75	2.7

STAIR NOSING

STAIR NOSING PROFILE

Anti-Slip Stair Nosing profiles are designed to enhance safety & extend the life of stairs. By increasing the surface area, they reduce the risk of slips or missteps. Available in Stainless Steel 304/316 & Aluminium Anodized finishes in multiple sizes.







Grade	Code	Width (mm)	Length (m)
ALUMINIUM STAIROSING PROFILE	FR-AL-ST-2010	20	2.7
	FR-AL-ST-2520	25	2.7
	FR-AL-ST-4525	45	2.7
STAINLESS STEEL STAIROSING PROFILE	FR-SS-ST-0525	25	2.7
	FR-SS-ST-2510	25	2.7
	FR-SS-ST-3020	30	2.7

Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed


EXPANSION JOINTS PROFILES

ALUMINIUM EXPANSION JOINTS PROFILES

Expansion joints efficiently absorb vibrations and accommodate movement in construction materials caused by ground settlement or earthquakes. They also support live loads while providing isolation from water & moisture, ensuring structural safety & durability.







Grade	Code	Width (mm)	Length (m)
ALUMINIUM MOVEMENT JOINT FOR FLOOR	FR-AL-EX-FC-50	50	3
	FR-AL-EX-FC-100	100	3
	FR-AL-EX-FC-150	150	3
ALUMINIUM MOVEMENT JOINT FOR WALL	FR-AL-EX-WC-50	50	3
	FR-AL-EX-WC-70	70	3
	FR-AL-EX-WC-100	100	3

Available Rubber Colors

Light Grey

Black


Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polised	Silver Brushed

TACTILES


TACTILES FOR FLOOR

Standard directional tactile surfaces guide individuals around obstacles, providing a clear path for safe navigation. Designed for use by walking or with a long white cane, they are commonly installed in hospitals, government organizations, & public facilities to assist visually impaired individuals.











Grade	Code	Width (mm)	Length (m)
STAINLESS STEEL 316 TACTILES	FR-SS6-MDT-270	25	270
	FR-SS6-MDT-280	25	280
	FR-SS6-MDT-300	25	300
STAINLESS STEEL 316 TACTILES	FR-SS6-SDT-35	45	4.5
	FR-SS6-MSDTD-35	45	4.5
	FR-SS6-SDTR-35	45	4.5
	FR-SS6-SDTC-35	45	4.5


SHOWER DRAIN SYSTEM

SHOWER DRAIN PROFILE

Shower drain profiles allow water to pass while catching debris to prevent clogs, ensuring smooth drainage.
Available in Brass & Stainless Steel, they come in various sizes to suit different installations.











Grade	Code	Height (mm)	Length (m)
SS 316/304 SHOWER DRAIN	FR-SS6-SDP 75200	50	3
	FR-SS6-SDP 85200	50	3
	FR-SS6-SDP 6060	50	3
	FR-SS6-SDP 9090	50	3
	FR-SS6-SDP 65200	50	3

WALL PROTECTION

PVC PROTECTION SYSTEM

PVC corner guards, wall guards, handrails, crash rails, and wall corner protectors prevent damage caused by impacts. Widely used in public & commercial spaces such as hotels, hospitals, restaurants, & clinics, they are easy to install, maintain, & help ensure safety & hygiene.











Grade	Code	Width (mm)	Length (m)
PVC CORNER GUARDS	FR-PVC-PPC 2020	20 X 20	3
	FR-PVC-PPC 3030	30 X 30	3
	FR-PVC-PPC 4040	40 X 40	3
	FR-PVC-PPC 5050	50 X 50	3
PVC WALL GUARDS	FR-PVC-PPW 100	100	3
	FR-PVC-PPW 200	200	3
	FR-PVC-PPW 250	250	3

ENTRANCE MATT

ENTRANCE MATTS

Entrance matts act as the first barrier to prevent dirt & water from entering buildings, protecting interior floors & minimizing slip hazards. Our range of durable aluminum entrance matting systems is designed for high-traffic areas, providing both safety & long-lasting performance.

