


<b>FRS PROFILES</b>	<b>PAGE NO</b>	<b>TABLE OF CONTENTS</b>
<b>01 INTRODUCTION</b>	3 - 4	The Essence of FRS Profiles
	5	Our Roadmap to Success
		Our Aspiration & Purpose
		Color Chart
<b>02 PROFILES FOR WALLS &amp; FLOORS</b>	6 - 26	Extruded Aluminium Stainless Steel PVC
<b>03 CHANNEL &amp; GROOVING PROFILES</b>	27 - 28	Extruded Aluminium Stainless Steel
<b>04 SKIRTING PROFILES</b>	29 - 30	Extruded Aluminium Stainless Steel PVC
<b>05 LANDSCAPE PROFILES</b>	31 - 32	Extruded Aluminium Stainless Steel PVC
<b>06 TILE MOVEMENT JOINT</b>	33	Extruded Aluminium Stainless Steel PVC
<b>07 STAIR NOSING</b>	34 - 35	Extruded Aluminium Stainless Steel
<b>08 EXPANSION JOINT COVERS</b>	36	
<b>09 TACTILES</b>	37	
<b>10 SHOWER DRAIN SYSTEM</b>	38	
<b>11 WALL PROTECTION</b>	39	
<b>12 ENTRANCE MATT</b>	40	

# THE ESSENCE OF FRS PROFILES

**FRS Profiles** is a proud member of **FRS Industrial Group**, one of the most recognized names in building materials & solutions across the UAE, KSA, & GCC region.



We offer an extensive portfolio, including tile trims, movement joints, landscaping edges, entrance mats, stair nosing, skirting boards, expansion joints, block & plaster accessories, PVC protection system, shower drain profiles, tactiles, & more crafted to meet the demands of contracting & interior fit-out companies.

With 15 years of proven expertise, our management & engineering team, renowned for their industry knowledge, offers not only superior products but also end-to-end technical support tailored to every client's needs.

Every FRS Profiles product is manufactured from premium materials that meet Global quality benchmarks, built to last, performance & excellence in every detail.

# Our Roadmap to Success

**FRS Profiles** focuses on delivering distinguished quality in customer satisfaction, building strong supplier & partner relationships, retaining skilled employees, & contributing positively to the environment & society.

Through continuous innovation, we provide reliable tile trim & profile solutions across the UAE & KSA.

- Uncompromising Quality Standards
- Bespoke Service Excellence
- Enduring Customer Loyalty
- Strategic Collaborations

## Our Aspiration & Purpose



### Enhancing Spaces

We strive to elevate the functionality & aesthetics of spaces by delivering high-quality tile trim & profiles that seamlessly integrate into every design.

### Fostering Creativity

We empower architects, designers, & builders to bring their creative visions to life by offering a diverse range of innovative and customizable profiles.

### Customer-centric Service

Our customers' needs & satisfaction are paramount, & we are dedicated to providing exceptional service & support at every step.

### Quality Assurance

We pledge to provide products that meet the highest standards of quality & durability, ensuring our customers' complete satisfaction.

### Sustainability Commitment



We prioritize sustainable practices in our manufacturing processes & materials, contributing to a more environmentally responsible future.

### Industry Leadership

We aspire to lead the tile trim & profile industry in the UAE, KSA & GCC regions through continuous innovation and unwavering dedication to excellence.

## COLOR CHART

### STAINLESS STEEL

	BA
	BL-D=Mirror Black PVD
	CBR=Champagne Bronze
	BRG=Brushed Rose Gold
	MR=Mirror Finish
	BL=Mirror Black Plated
	EM=Embossed
	ANTC=Antique Copper
	BR=Brushed
	BBL=Brushed Black Plated
	EMG=Embossed Grey
	SMG=Sand Matt Gold
	G=Mirror Gold
	BBL-L=Brushed Black Plated Light
	BUM=Brushed Gun Metal
	SMBL=Sand Matt Black
	BG=Brushed Gold
	ANTB-L=Antique Brass Light
	ANTB-D=Antique Brass Deep
	RG=Mirror Rose Gold

### ALUMINUM ALLOY CHARTS

	NA=Natural
	BBS-L=Brushed Bright Silver
	MCP=Matt Champagne
	MBR=Matt Bronze
	MS=Matt Silver
	BBS-D=Deep Brushed Bright Silver
	SBL=Sand Black Coated
	MBR-D=Dark Matt Bronze
	MBL=Matt Black
	BNK=Brushed Nickel
	BW=Bright White Coated
	BRG=Brushed Rose Gold
	BS=Bright Silver
	RG=Bright Rose Gold
	SC=Sand Camel Coated
	MG=Matt Gold
	BBL=Bright Black
	BG=Bright Gold
	SA=Sand Antracita Coated
	SW=Sand White Coated

### BRASS CHARTS


	NA=Natural
	PO=Polished+Anti-Oxidised
	BAO=Brushed+Anti-Oxidised
	MBL=Matt Black
	NAO=Natural+Anti-Oxidised
	ANTB-L=Antique Brass Light
	LHO=Long Hair+Anti Oxidised
	ANTC-L=Antique Copper Light
	P=Polished
	ANTB-D=Antique Brass Deep
	CHR=Chrome Plated
	ANTC-D=Antique Copper Deep

## PROFILES FOR WALLS & FLOORS

### STAINLESS STEEL SQUARE PROFILE FOR WALLS

Ideal for internal & external wall applications, serving as a connection profile between ceramic or natural stone tiles.

Available in Stainless Steel 304/316, with mirror or brushed (satin) finishes in multiple sizes.



Grade	Code	Height (mm)	Length (m)
<b>SS 304 SOUARE MIRROR FINISH</b>	<b>FR-SS4-S/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-S/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-S/M 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 316 SQUARE MIRROR FINISH</b>	<b>FR-SS6-S/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-S/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-S/M 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 304 SQUARE BRUSHED FINISH</b>	<b>FR-SS4-S/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-S/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-S/B 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 316 SOUARE BRUSHED FINISH</b>	<b>FR-SS6-S/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-S/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-S/B 125</b>	<b>12.5</b>	<b>2.7</b>

## PROFILES FOR WALLS & FLOORS

### ALUMINIUM SQUARE PROFILE FOR WALLS

Designed for internal & external wall applications, this profile connects ceramic or natural stone tiles while protecting edges from breakage.

Available in a variety of anodized finishes, powder coatings, & multiple sizes.



Grade	Code	Height (mm)	Length (m)
<b>ALUMINUM SQUARE SHAPE</b>	<b>FR-AL-AA/SQ 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/SQ 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/SQ 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
			(RGB)
			
			Rose Gold Brushed
			(BR)
			
			Bronze
			(AB)
			
			Black
			(AC)
			
			Champagne
			(AP)
			
			Silver Polished
			(SB)
			
			Silver Brushed

## PROFILES FOR WALLS & FLOORS

### PVC SQUARE PROFILE FOR WALLS

Square shape tile trim is designed for external wall corners, providing a neat & durable edge finish. Made from non-toxic PVC.

Available in a variety of colors to match tile or marble surfaces seamlessly.



Grade	Code	Height (mm)	Length (m)
<b>PVC SQUARE SHAPE</b>	<b>FR-PVC/SQ 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-PVC/SQ 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-PVC/SQ 125</b>	<b>12.5</b>	<b>2.7</b>

#### Colors




## PROFILES FOR WALLS & FLOORS

### STAINLESS STEEL (L) SHAPE PROFILE FOR WALLS & FLOORS

Protects tile edges while enhancing wall aesthetics.

Available in high-quality Stainless Steel 304/316 with Mirror or Brushed (Satin) finishes, they come in multiple sizes to suit diverse project needs.




Grade	Code	Height (mm)	Length (m)
<b>SS 304 L SHAPE MIRROR FINISH</b>	<b>FR-SS4-L/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-L/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-L/M 125</b>	<b>12.5</b>	<b>2.7</b>
	<b>FR-SS4-L/M 15</b>	<b>15</b>	<b>2.7</b>
	<b>FR-SS4-L/M 20</b>	<b>20</b>	<b>2.7</b>
<b>SS 316 L SHAPE MIRROR FINISH</b>	<b>FR-SS6-L/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-L/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-L/M 125</b>	<b>12.5</b>	<b>2.7</b>
	<b>FR-SS6-L/M 15</b>	<b>15</b>	<b>2.7</b>
	<b>FR-SS6-L/M 20</b>	<b>20</b>	<b>2.7</b>
<b>SS 304 L SHAPE BRUSHED FINISH</b>	<b>FR-SS4-L/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-L/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-L/B 125</b>	<b>12.5</b>	<b>2.7</b>
	<b>FR-SS4-L/B 15</b>	<b>15</b>	<b>2.7</b>
	<b>FR-SS4-L/B 20</b>	<b>20</b>	<b>2.7</b>
<b>SS 316 L SHAPE BRUSHED FINISH</b>	<b>FR-SS6-L/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-L/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-L/B 12.5</b>	<b>12.5</b>	<b>2.7</b>
	<b>FR-SS6-L/B 15</b>	<b>15</b>	<b>2.7</b>
	<b>FR-SS6-L/B 20</b>	<b>20</b>	<b>2.7</b>

## PROFILES FOR WALLS & FLOORS

### ALUMINUM (L) SHAPE PROFILE FOR WALLS & FLOORS

Ideal for external wall & floor corners or as a separator at tile termination points, L-shape profiles protect tile edges from damage. Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.



Grade	Code	Height (mm)	Length (m)
<b>ANODIZED SILVER FINISH L SHAPE</b>	<b>FR-AL-AA/L 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/L 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/L 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
			
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
			
Silver Polished	Silver Brushed		

## PROFILES FOR WALLS & FLOORS

### PVC (L) SHAPE TILE TRIM

Perfect for internal areas & as a separator between different levels, L-shape PVC trims offer both protection & style. Made from non-toxic PVC.

Available in a variety of colors to seamlessly match tile or marble finishes




Grade	Code	Height (mm)	Length (m)
<b>PVC (L) SHAPE</b>	<b>FR-PVC/L 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-PVC/L 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-PVC/L 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
White	Beige-902	Brown	Ivory
Bahama Beige	Light Grey	Dark Grey	Black

## PROFILES FOR WALLS & FLOORS

### STAINLESS STEEL EDGE PROFILE

Made for floors, protects tile edges, acts as a separator between tiles, stone, or wood. Available in Stainless Steel 304/316 with Mirror or Brushed finishes.



Grade	Code	Height (mm)	Length (m)
<b>SS 304 EDGE MIRROR FINISH</b>	FR-SS4-SE/M 8	8	2.7
	FR-SS4-SE/M 10	10	2.7
	FR-SS4-SE/M 125	12.5	2.7
	FR-SS4-SE/M 15	15	2.7
<b>SS 316 EDGE MIRROR FINISH</b>	FR-SS6-SE/M 8	8	2.7
	FR-SS6-SE/M 10	10	2.7
	FR-SS6-SE/M 125	12.5	2.7
	FR-SS6-SE/M 15	15	2.7
<b>SS 304 EDGE BRUSHED FINISH</b>	FR-SS4-SE/B 8	8	2.7
	FR-SS4-SE/B 10	10	2.7
	FR-SS4-SE/B 125	12.5	2.7
	FR-SS4-SE/B 15	15	2.7
<b>SS 316 EDGE BRUSHED FINISH</b>	FR-SS6-SE/B 8	8	2.7
	FR-SS6-SE/B 10	10	2.7
	FR-SS6-SE/B 125	12.5	2.7
	FR-SS6-SE/B 15	15	2.7


## PROFILES FOR WALLS & FLOORS

### STAINLESS STEEL ROUND PROFILE FOR WALLS

Round shape profiles are crafted for external wall corners, offering smooth & safe edges that enhance both durability & aesthetics.

They can be applied in internal or external areas, protecting tiles while adding a refined finish.

Available in Stainless Steel 304/316 with Mirror or Brushed (Satin) finishes in multiple sizes.



Grade	Code	Height (mm)	Length (m)
<b>SS 304 ROUND MIRROR FINISH</b>	<b>FR-SS4-R/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-R/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-R/M 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 316 ROUND MIRROR FINISH</b>	<b>FR-SS6-R/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-R/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-R/M 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 304 ROUND BRUSHED FINISH</b>	<b>FR-SS4-R/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-R/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-R/B 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 316 ROUND BRUSHED FINISH</b>	<b>FR-SS6-R/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-R/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-R/B 125</b>	<b>12.5</b>	<b>2.7</b>

## PROFILES FOR WALLS & FLOORS

### ALUMINIUM ROUND PROFILE FOR WALLS

Round shape profiles are crafted for external corners, providing smooth & safe edges. Suitable for internal & external areas.

Available in multiple sizes with Anodized Finishes & Powder Coatings.




Grade	Code	Height (mm)	Length (m)
<b>ALUMINIUM ROUND SHAPE</b>	<b>FR-AL-AA/R 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/R 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/R 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
			
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
			
Silver Polished	Silver Brushed		

## PROFILES FOR WALLS & FLOORS

### PVC ROUND SHAPE TILE TIRM

Round shape tile trims are ideal for external wall corners, providing smooth & safe edges. Made from non-toxic PVC.

Available in a variety of colors to seamlessly match tiles or marble finishes.-



Grade	Code	Height (mm)	Length (m)
<b>PVC ROUND SHAPE TILE TRIM</b>	<b>FR-PVC-R 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-PVC-R 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-PVC-R 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
White	Beige-902	Brown	Ivory
Bahama Beige	Light Grey	Dark Grey	Black


## PROFILES FOR WALLS & FLOORS

### STAINLESS STEEL QUART SHAPE PROFILE FOR WALLS

Quart shape profiles are crafted for external wall corners, providing smooth & safe edges while enhancing durability & style.

Suitable for both internal & external areas, they protect tile edges & create a refined finish.

Available in Stainless Steel 304/316 with Mirror or Brushed (Satin) finishes in multiple sizes.



Grade	Code	Height (mm)	Length (m)
<b>SS 304 QUART MIRROR FINISH</b>	<b>FR-SS4-QT/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-QT/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-QT/M 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 316 QUART MIRROR FINISH</b>	<b>FR-SS6-QT/M 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-QT/M 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-QT/M 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 304 QUART BRUSHED FINISH</b>	<b>FR-SS4-QT/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS4-QT/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS4-QT/B 125</b>	<b>12.5</b>	<b>2.7</b>
<b>SS 316 QUART BRUSHED FINISH</b>	<b>FR-SS6-QT/B 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-SS6-QT/B 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-SS6-QT/B 125</b>	<b>12.5</b>	<b>2.7</b>

## PROFILES FOR WALLS & FLOORS

### ALUMINIUM QUART PROFILE FOR WALLS

Quart shape profiles are crafted for external wall corners, providing smooth & safe edges. Suitable for internal & external areas.

Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.




Grade	Code	Height (mm)	Length (m)
<b>ALUMINIUM QUART PROFILE</b>	<b>FR-AL-AA/QT 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/QT 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/QT 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
			
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
			
Silver Polished	Silver Brushed		

## PROFILES FOR WALLS & FLOORS

### PVC QUART SHAPE TILE TIRM

Quart shape PVC trims are ideal for internal wall areas, providing smooth & safe edges. Made from non-toxic PVC.

Available in a variety of colors to seamlessly match tiles or marble finishes.




Grade	Code	Height (mm)	Length (m)
<b>PVC QUART SHAPE TILE TIRM</b>	<b>FR-PVC-QT 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-PVC-QT 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-PVC-QT 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
White	Beige-902	Brown	Ivory
Bahama Beige	Light Grey	Dark Grey	Black

## PROFILES FOR WALLS & FLOORS

### DUAL EDGE PROFILE FOR WALLS

Dual Edge Profiles are crafted for walls, providing balanced protection for both edges.

Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.





Grade	Code	Height (mm)	Length (m)
<b>ANODIZED ALUMINIUM DUAL SHAPE PROFILE</b>	<b>FR-AL-AA/D 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/D 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/D 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
			
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
			
Silver Polished	Silver Brushed		

## PROFILES FOR WALLS & FLOORS

### DIVIDING STRIP & FLAT BAR

Dividing strips are thin profiles used to separate surfaces, control movement, & ensure proper alignment between materials such as tiles, concrete, or stone. They can be installed in both floors and walls to allow expansion, prevent cracks, & enhance visual appeal.

Available in Brass, Stainless Steel 304/316, & Aluminium with Anodized finishes in multiple sizes.



#### Available Height

5MM	10MM	20MM	25MM	40MM	50MM	100MM
-----	------	------	------	------	------	-------

#### Available Thickness

3MM	5MM	8MM	10MM	20MM
-----	-----	-----	------	------

#### Available Grades

STAINLESS STEEL	BRASS	ALUMINUM
-----------------	-------	----------

## PROFILES FOR WALLS & FLOORS

### (Y) SHAPE PROFILE FOR WALLS

Y-Shape Profiles are crafted to protect external wall edges, providing a smooth & decorative finish. Suitable for ceramic & mosaic tiles, even at low thicknesses. Available in multiple sizes with Anodized Finishes and Powder Coatings.




Grade	Code	Height (mm)	Length (m)
<b>ANODIZED ALUMINIUM (Y) SHAPE PROFILE</b>	<b>FR-AL-AA/Y 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/Y 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/Y 125</b>	<b>12.5</b>	<b>2.7</b>

### Ceramic Finish



### Colors




## PROFILES FOR WALLS & FLOORS

### (T) SHAPE PROFILE FOR FLOOR

Ideal for aligning floor levels. They cover minor gaps between floors & protect external corners while ensuring a neat, durable finish.

T-Shape Profiles, available in Stainless Steel 304/316 & Aluminium with Anodized or Powder Coating finishes





Grade	Code	Width (mm)	Length (m)
<b>ALUMINIUM (T) SHAPE PROFILE</b>	<b>FR-AL-AA/T 1010</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/T 2010</b>	<b>20</b>	<b>2.7</b>
	<b>FR-AL-AA/T 2510</b>	<b>25</b>	<b>2.7</b>
	<b>FR-AL-AA/T 3010</b>	<b>30</b>	<b>2.7</b>

## PROFILES FOR WALLS & FLOORS

### THRESHOLD PROFILE

Also known as a Transition Profile, specially designed to bridge gaps between different floor surfaces of varying heights or materials.

Available in Brass, Stainless Steel 304/316, & Aluminium with Anodized or Powder Coatings.



Grade	Code	Width (mm)	Length (m)
<b>ALUMINIUM THRESHOLD PROFILE</b>	<b>FR-AL-TH/P 35</b>	<b>35</b>	<b>2.7</b>
	<b>FR-AL-TH/P 50</b>	<b>50</b>	<b>2.7</b>
	<b>FR-AL-TH/P 75</b>	<b>75</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
			
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
			
Silver Polished	Silver Brushed		



## PROFILES FOR WALLS & FLOORS

### ANGLE CORNER PROFILE FOR WALLS

A wide range of profiles engineered to prevent chipping & edge imperfections commonly caused by wall corner installations.

These profiles come in multiple sizes, delivering reliable solutions for residential, commercial, & industrial spaces.

Available in Stainless Steel 304/316 & Aluminium with Anodized or Powder Coatings.



#### Available Grades

STAINLESS STEEL 316S	STAINLESS STEE 304	ALUMINUM	
Grade	Code	Width (mm)	Length (m)
<b>CORNER ANGLE PROFILE CORNERS</b>	<b>FR-CAP-1010</b>	<b>10 X 10</b>	<b>2.7</b>
	<b>FR-CAP-2020</b>	<b>20 X 20</b>	<b>2.7</b>
	<b>FR-CAP-3030</b>	<b>30 X 30</b>	<b>2.7</b>
	<b>FR-CAP-4040</b>	<b>40 X 40</b>	<b>2.7</b>
	<b>FR-CAP-5050</b>	<b>50 X 50</b>	<b>2.7</b>

#### Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
Anodized Silver	Gold	Titanium	Rose Gold	Rose Gold Brushed	Bronze	Black	Champagne	Silver Polished	Silver Brushed

## PROFILES FOR WALLS & FLOORS

### TRIANLGE PROFILE FOR WALLS

Triangle shape profiles are designed for external wall corners, providing smooth & safe edges. Suitable for both internal & external applications. Available in Aluminium & Stainless Steel 304/316 for durability & a refined finish.




Grade	Code	Height (mm)	Length (m)
<b>SS 304 TRIANGLE PROFILE MIRROR FINISH</b>	<b>FR-SS4-TR/M 10</b> <b>FR-SS4-TR/M 125</b>	<b>10</b> <b>12.5</b>	<b>2.7</b> <b>2.7</b>
<b>SS 304 TRIANGLE PROFILE BRUSHED FINISH</b>	<b>FR-SS4-TR/B 10</b> <b>FR-SS4-TR/B 125</b>	<b>10</b> <b>12.5</b>	<b>2.7</b> <b>2.7</b>
<b>SS 316 TRIANGLE PROFILE MIRROR FINISH</b>	<b>FR-SS6-TR/M 10</b> <b>FR-SS6-TR/M 125</b>	<b>10</b> <b>12.5</b>	<b>2.7</b> <b>2.7</b>
<b>SS 316 TRIANGLE PROFILE BRUSHED FINISH</b>	<b>FR-SS6-TR/B 10</b> <b>FR-SS6-TR/B 125</b>	<b>10</b> <b>12.5</b>	<b>2.7</b> <b>2.7</b>

## PROFILES FOR WALLS & FLOORS

### ALUMINIUM CARPET PROFILE

Carpet profiles are used as finishing trims at carpet edges, ensuring a neat transition & compensating for floor height differences caused by varying profiles. Available in Aluminium, they provide both durability & a clean finish.



Grade	Code	Width (mm)	Length (m)
<b>PVC LANDSCAPE PROFILE</b>	<b>FR-AL-AA-CP 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA-CP 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA-CP 125</b>	<b>12.5</b>	<b>2.7</b>

## CHANNEL & GROOVING PROFILES

### CHANNEL/GROOVE PROFILES FOR WALLS

They can be custom fabricated in any size & are suitable for external elevations or decorative applications.

Available in Stainless Steel 304/316 (Mirror & Brushed), Aluminium Anodized finishes, & Natural Aluminium with Powder Coating to match ceramic, marble, or wall finishes.



#### Available Sizes

**DP-GAP-1010**

**DP-GAP-2020**

**DP-GAP-4020**

**DP-GAP-2010**

**DP-GAP-2525**

**DP-GAP-5025**

#### Available Grades

**STAINLESS STEEL**




**ALUMINUM**

## CHANNEL & GROOVING PROFILES

### (F) SHAPE PROFILE FOR WALLS

F-Shape Profiles are crafted for walls, ideal as skirting or decorative accents for ceramic tile coverings.

Available in multiple sizes with a variety of Anodized Finishes & Powder Coatings.



Grade	Code	Height (mm)	Length (m)
<b>ANODIZED ALUMINIUM (F) SHAPE PROFILE</b>	<b>FR-AL-AA/F 08</b>	<b>8</b>	<b>2.7</b>
	<b>FR-AL-AA/F 10</b>	<b>10</b>	<b>2.7</b>
	<b>FR-AL-AA/F 125</b>	<b>12.5</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
Silver Polished	Silver Brushed		

## SKIRTING BOARDS

### ALUMINIUM SKIRTING BOARDS

Skirting boards shield walls from knocks & scuffs at the base, preventing plaster from cracking or breaking.

Available in multiple sizes with Aluminium Anodized finishes & Powder Coating, they provide both protection & a clean decorative look.






Grade	Code	Height (mm)	Length (m)
<b>ALUMINIUM SKIRTING</b>	<b>FR-AL-AA-SB 40</b>	<b>40</b>	<b>2.5</b>
	<b>FR-AL-AA-SB 60</b>	<b>60</b>	<b>2.5</b>
	<b>FR-AL-AA-SB 80</b>	<b>80</b>	<b>2.5</b>
	<b>FR-AL-AA-SB 100</b>	<b>100</b>	<b>2.5</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
			
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
			
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
			
Silver Polished	Silver Brushed		

## SKIRTING BOARDS

### STAINLESS STEEL SKIRTING BOARDS

Skirting boards protect walls from knocks, scuffs, & base-level damage, acting as a barrier to prevent plaster from cracking or breaking. Available in Stainless Steel 304/316 with Mirror & Brushed (Satin) finishes in multiple sizes, they combine durability with a sleek finish.



Grade	Code	Height (mm)	Length (m)
<b>SS 304 SKIRTING MIRROR FINISH</b>	FR-SS4-SK/M 40	40	2.5
	FR-SS4-SK/M 60	60	2.5
	FR-SS4-SK/M 80	80	2.5
	FR-SS4-SK/M 100	100	2.5
<b>SS 316 SKIRTING MIRROR FINISH</b>	FR-SS6-SK/M 40	40	2.5
	FR-SS6-SK/M 60	60	2.5
	FR-SS6-SK/M 80	80	2.5
	FR-SS6-SK/M 100	100	2.5
<b>SS 304 SKIRTING BRUSHED FINISH</b>	FR-SS4-SK/B 40	40	2.5
	FR-SS4-SK/B 60	60	2.5
	FR-SS4-SK/B 80	80	2.5
	FR-SS4-SK/B 100	100	2.5
<b>SS 316 SKIRTING BRUSHED FINISH</b>	FR-SS6-SK/B 40	40	2.5
	FR-SS6-SK/B 60	60	2.5
	FR-SS6-SK/B 80	80	2.5
	FR-SS6-SK/B 100	100	2.5
<b>Available Grades</b>		<b>Available Heights</b>	
<b>STAINLESS STEEL - ALUMINUM</b>		<b>40MM</b>	<b>60MM</b>
		<b>80MM</b>	<b>100MM</b>



## LANDSCAPE EDGING

### ALUMINIUM LANDSCAPE EDGING

Aluminium landscaping edges help shape gardens with clean, crisp lines between lawns, beds, & adjoining areas.

They define borders clearly.

Available in multiple sizes for versatile applications.





Grade	Code	Height (mm)	Length (m)
<b>ALUMINIUM LANDSCAPE PROFILE</b>	<b>FR-AL-LSE 60</b>	<b>60</b>	<b>3</b>
	<b>FR-AL-LSE 80</b>	<b>80</b>	<b>3</b>
	<b>FR-AL-LSE 100</b>	<b>100</b>	<b>3</b>
	<b>FR-AL-LSE 150</b>	<b>150</b>	<b>3</b>

## LANDSCAPE EDGING

### PVC LANDSCAPE EDGING

PVC landscaping edges shape gardens with clean, crisp lines between beds, lawns, and adjoining areas.

They clearly define borders & are available in multiple sizes for versatile use.




Grade	Code	Height (mm)	Length (m)
<b>PVC LANDSCAPE PROFILE</b>	<b>FR-PVC-LSE 60</b>	<b>60</b>	<b>3</b>
	<b>FR-PVC-LSE 80</b>	<b>80</b>	<b>3</b>
	<b>FR-PVC-LSE 100</b>	<b>100</b>	<b>3</b>
	<b>FR-PVC-LSE 150</b>	<b>150</b>	<b>3</b>

## TILE MOVEMENT JOINT

### TILE MOVEMENT JOINT

Movement joints are intentional gaps within tiled or stone surfaces that absorb expansion and contraction in floors.

Essential for any tiling project, they prevent cracking, grout damage, and tile de-bonding, ensuring long-term durability.




Grade	Code	Type	Length (m)
<b>SS304 MOVEMENT JOINT PROFILE</b>	<b>FR-SS4-ST-MJ</b>	<b>STRAIGHT</b>	<b>2.4</b>
	<b>FR-SS4-1L-MJ</b>	<b>CORNER</b>	<b>2.4</b>
	<b>FR-SS4-2L-MJ</b>	<b>DOUBLE SIDE</b>	<b>2.4</b>
<b>SS316 MOVEMENT JOINT PROFILE</b>	<b>FR-SS6-ST-MJ</b>	<b>STRAIGHT</b>	<b>2.4</b>
	<b>FR-SS6-1L-MJ</b>	<b>CORNER</b>	<b>2.4</b>
	<b>FR-SS6-2L-MJ</b>	<b>DOUBLE SIDE</b>	<b>2.4</b>
<b>ALUMINIUM MOVEMENT JOINT PROFILE</b>	<b>FR-AL-ST-MJ</b>	<b>STRAIGHT</b>	<b>2.4</b>
	<b>FR-AL-1L-MJ</b>	<b>CORNER</b>	<b>2.4</b>
	<b>FR-AL-2L-MJ</b>	<b>DOUBLE SIDE</b>	<b>2.4</b>

#### Available Heights

10MM	12.5MM	15MM	20MM	25MM	30MM	40MM	50MM
------	--------	------	------	------	------	------	------


#### Colors



## STAIR NOSING

### STAIR NOSING PROFILE (CARBORANDUM/ RUBBER)

Specialty Anti-Slip Stair Nosing profiles enhance safety & extend the life of stairs by increasing surface grip. They reduce the risk of slipping or missing a step. Available in multiple sizes with Aluminium Anodized finishes.



Grade	Code	Width (mm)	Length (m)
<b>STAIRNOSING PROFILE WITH RUBBER INSERT</b>	<b>FR-AL-STR-4525</b>	<b>45</b>	<b>2.7</b>
	<b>FR-AL-STR-5030</b>	<b>50</b>	<b>2.7</b>
	<b>FR-AL-STR-7530</b>	<b>75</b>	<b>2.7</b>
<b>STAIRNOSING PROFILE WITH CARBORANDUM INSERT</b>	<b>FR-AL-STC-4525</b>	<b>45</b>	<b>2.7</b>
	<b>FR-AL-STC-5025</b>	<b>50</b>	<b>2.7</b>
	<b>FR-AL-STC-7525</b>	<b>75</b>	<b>2.7</b>

## STAIR NOSING

### STAIR NOSING PROFILE

Anti-Slip Stair Nosing profiles are designed to enhance safety & extend the life of stairs. By increasing the surface area, they reduce the risk of slips or missteps. Available in Stainless Steel 304/316 & Aluminium Anodized finishes in multiple sizes.





Grade	Code	Width (mm)	Length (m)
<b>ALUMINIUM STAIROSING PROFILE</b>	<b>FR-AL-ST-2010</b>	<b>20</b>	<b>2.7</b>
	<b>FR-AL-ST-2520</b>	<b>25</b>	<b>2.7</b>
	<b>FR-AL-ST-4525</b>	<b>45</b>	<b>2.7</b>
<b>STAINLESS STEEL STAIROSING PROFILE</b>	<b>FR-SS-ST-0525</b>	<b>25</b>	<b>2.7</b>
	<b>FR-SS-ST-2510</b>	<b>25</b>	<b>2.7</b>
	<b>FR-SS-ST-3020</b>	<b>30</b>	<b>2.7</b>
<b>Colors</b>			
(AA)	(AG)	(AT)	(RG)
Anodized Silver	Gold	Titanium	Rose Gold
(RGB)	(BR)	(AB)	(AC)
Rose Gold Brushed	Bronze	Black	Champagne
(AP)	(SB)		
Silver Polished	Silver Brushed		

## EXPANSION JOINTS PROFILES

### ALUMINIUM EXPANSION JOINTS PROFILES

Expansion joints efficiently absorb vibrations and accommodate movement in construction materials caused by ground settlement or earthquakes. They also support live loads while providing isolation from water & moisture, ensuring structural safety & durability.



Grade	Code	Width (mm)	Length (m)
<b>ALUMINIUM MOVEMENT JOINT FOR FLOOR</b>	<b>FR-AL-EX-FC-50</b>	<b>50</b>	<b>3</b>
	<b>FR-AL-EX-FC-100</b>	<b>100</b>	<b>3</b>
	<b>FR-AL-EX-FC-150</b>	<b>150</b>	<b>3</b>
<b>ALUMINIUM MOVEMENT JOINT FOR WALL</b>	<b>FR-AL-EX-WC-50</b>	<b>50</b>	<b>3</b>
	<b>FR-AL-EX-WC-70</b>	<b>70</b>	<b>3</b>
	<b>FR-AL-EX-WC-100</b>	<b>100</b>	<b>3</b>

### Available Rubber Colors



Light Grey



Black

### Colors

(AA)	(AG)	(AT)	(RG)	(RGB)	(BR)	(AB)	(AC)	(AP)	(SB)
									

Anodized Silver

Gold

Titanium

Rose Gold

Rose Gold Brushed

Bronze

Black

Champagne




Silver Polished

Silver Brushed

# TACTILES

## TACTILES FOR FLOOR

Standard directional tactile surfaces guide individuals around obstacles, providing a clear path for safe navigation. Designed for use by walking or with a long white cane, they are commonly installed in hospitals, government organizations, & public facilities to assist visually impaired individuals.






Grade	Code	Width (mm)	Length (m)
<b>STAINLESS STEEL 316 TACTILES</b>	<b>FR-SS6-MDT-270</b>	<b>25</b>	<b>270</b>
	<b>FR-SS6-MDT-280</b>	<b>25</b>	<b>280</b>
	<b>FR-SS6-MDT-300</b>	<b>25</b>	<b>300</b>
<b>STAINLESS STEEL 316 TACTILES</b>	<b>FR-SS6-SDT-35</b>	<b>45</b>	<b>4.5</b>
	<b>FR-SS6-MSDTD-35</b>	<b>45</b>	<b>4.5</b>
	<b>FR-SS6-SDTR-35</b>	<b>45</b>	<b>4.5</b>
	<b>FR-SS6-SDTC-35</b>	<b>45</b>	<b>4.5</b>

## SHOWER DRAIN SYSTEM

### SHOWER DRAIN PROFILE

Shower drain profiles allow water to pass while catching debris to prevent clogs, ensuring smooth drainage.

Available in Brass & Stainless Steel, they come in various sizes to suit different installations.



Grade	Code	Height (mm)	Length (m)
<b>SS 316/304 SHOWER DRAIN</b>	<b>FR-SS6-SDP 75200</b>	<b>50</b>	<b>3</b>
	<b>FR-SS6-SDP 85200</b>	<b>50</b>	<b>3</b>
	<b>FR-SS6-SDP 6060</b>	<b>50</b>	<b>3</b>
	<b>FR-SS6-SDP 9090</b>	<b>50</b>	<b>3</b>
	<b>FR-SS6-SDP 65200</b>	<b>50</b>	<b>3</b>

## WALL PROTECTION

### PVC PROTECTION SYSTEM

PVC corner guards, wall guards, handrails, crash rails, and wall corner protectors prevent damage caused by impacts. Widely used in public & commercial spaces such as hotels, hospitals, restaurants, & clinics, they are easy to install, maintain, & help ensure safety & hygiene.



Grade	Code	Width (mm)	Length (m)
<b>PVC CORNER GUARDS</b>	<b>FR-PVC-PPC 2020</b>	<b>20 X 20</b>	<b>3</b>
	<b>FR-PVC-PPC 3030</b>	<b>30 X 30</b>	<b>3</b>
	<b>FR-PVC-PPC 4040</b>	<b>40 X 40</b>	<b>3</b>
	<b>FR-PVC-PPC 5050</b>	<b>50 X 50</b>	<b>3</b>
<b>PVC WALL GUARDS</b>	<b>FR-PVC-PPW 100</b>	<b>100</b>	<b>3</b>
	<b>FR-PVC-PPW 200</b>	<b>200</b>	<b>3</b>
	<b>FR-PVC-PPW 250</b>	<b>250</b>	<b>3</b>

## ENTRANCE MATT

### ENTRANCE MATTS

Entrance matts act as the first barrier to prevent dirt & water from entering buildings, protecting interior floors & minimizing slip hazards. Our range of durable aluminum entrance matting systems is designed for high-traffic areas, providing both safety & long-lasting performance.

